

WILLIAM HUGHES MILLER

Publications

1. P. E. Eberly, Jr., C. N. Kimberlin, Jr., W. H. Miller, and H. V. Drushel, Coke Formation on Silica-Alumina Cracking Catalysts, *Ind. Eng. Chem. Proc. Des. Develop.* **5**, 193-198 (1966).
2. W. H. Miller, New Equation for Lower Bounds to Eigenvalues with Application to the Helium Atom, *J. Chem. Phys.* **42**, 4305-4306 (1965).
3. W. H. Miller, On the Variation-Perturbation Method for Excited States, *J. Chem. Phys.* **44**, 2198-2199 (1966).
4. W. H. Miller, Resonances in the Scattering of Electrons from Atoms, *Phys. Rev.* **152**, 70-73 (1966).
5. W. H. Miller, Extension of Gay's Equation for Lower Bounds to Eigenvalues, *J. Chem. Phys.* **48**, 530 (1968).
6. W. H. Miller, Uniform Semiclassical Approximations for Elastic Scattering and Eigenvalue Problems, *J. Chem. Phys.* **48**, 464-467 (1968).
7. W. H. Miller, Semiclassical Treatment of Multiple Turning-Point Problems Phase Shifts and Eigenvalues, *J. Chem. Phys.* **48**, 1651-1658 (1968).
8. W. H. Miller, Distorted Wave Theory for Collisions of an Atom and a Diatomic Molecule, *J. Chem. Phys.* **49**, 2373-2381 (1968).
9. W. H. Miller, Coupled Equations and the Minimum Principle for Collisions of an Atom and a Diatomic Molecule, Including Rearrangements, *J. Chem. Phys.* **50**, 407-418 (1969).
10. W. H. Miller, Final-State Interactions in Collisions of an Atom and a Diatomic Molecule, *J. Chem. Phys.* **50**, 931-934 (1969).
11. W. H. Miller, Improved Equation for Lower Bounds to Eigenvalues; Bounds for the Second-Order Perturbation Energy, *J. Chem. Phys.* **50**, 2758-2762 (1969).
12. W. H. Miller, Semiclassical Approximation for the Total Cross Section of Atom-Diatomic Molecule Collisions; Quenching of Glory Undulations, *J. Chem. Phys.* **50**, 3124-3126 (1969).
13. W. H. Miller, On the Possibility of Extracting Anisotropy Parameters from the M-Dependence of Total Cross Section Measurements, *J. Chem. Phys.* **50**, 3410-3415 (1969).
14. W. H. Miller, On the Possibility of Extracting Anisotropy Parameters from Total Cross Section Measurements. II, *J. Chem. Phys.* **50**, 3868-3872 (1969).
15. W. H. Miller, WKB Solution of Inversion Problems for Potential Scattering, *J. Chem. Phys.* **51**, 3631-3638 (1969).
16. W. H. Miller, Study of the Statistical Model for Molecular Collisions, *J. Chem. Phys.* **52**, 543-551 (1970).

17. W. H. Miller, Computation of Autoionization Lifetimes via a 'Golden-Rule'-Like Formula, *Chem. Phys. Lett.* **4**, 627-631 (1970).
18. W. H. Miller, Theory of Penning Ionization, *J. Chem. Phys.* **52**, 3563-3572 (1970).
19. W. H. Miller and H. F. Schaefer, Theoretical Treatment of Penning Ionization $\text{He}(1s2s^1, ^3S) + \text{H}$, *J. Chem. Phys.* **53**, 1421-1427 (1970).
20. W. H. Miller, Semiclassical Theory of Atom-Diatom Collisions: Path Integrals and the Classical S-Matrix, *J. Chem. Phys.* **53**, 1949-1959 (1970).
21. W. H. Miller, The Classical S-Matrix: Numerical Application to Inelastic Collisions, *J. Chem. Phys.* **53**, 3578-3587 (1970).
22. W. H. Miller, The Classical S-Matrix: A More Detailed Study of Classically Forbidden Transitions in Inelastic Collisions, *Chem. Phys. Lett.* **7**, 431-435 (1970).
23. W. H. Miller, The Semiclassical Nature of Atomic and Molecular Collisions, *Accounts Chem. Res.* **4**, 161-167 (1971).
24. W. H. Miller, Additional WKB Inversion Relations for Bound-State and Scattering Problems, *J. Chem. Phys.* **54**, 4174-4177 (1971).
25. W. H. Miller, The Classical S-Matrix for Rotational Excitation; Quenching of Quantum Effects in Molecular Collisions, *J. Chem. Phys.* **54**, 5386-5397 (1971).
26. C. A. Slocumb, W. H. Miller and H. F. Schaefer, Collisional Quenching of Metastable Hydrogen Atoms, *J. Chem. Phys.* **55**, 926-932 (1971).
27. W. H. Miller, Molecular Ramsauer-Townsend Effect in Very Low Energy $\text{He}^4 - \text{He}^4$ Scattering, *Chem. Phys. Lett.* **10**, 7-9 (1971). Addendum **11**, 152 (1971).
28. W. H. Miller, Classical Path Approximation for the Boltzmann Density Matrix, *J. Chem. Phys.* **55**, 3146-3156 (1971).
29. C. C. Rankin and W. H. Miller, Classical S-Matrix for Linear Reactive Collisions of $\text{H} + \text{Cl}_2$, *J. Chem. Phys.* **55**, 3150-3156 (1971).
30. H. F. Schaefer and W. H. Miller, Curve Crossing of the $\text{B}^3\Sigma_u^-$ and $^3\Pi_u$ States and its Relation to Predissociation in the Schumann-Runge Bands, *J. Chem. Phys.* **55**, 4107-4115 (1971).
31. W. H. Miller, Simple Error Bound for Coupled-Channel Scattering Calculations, *Chem. Phys. Lett.* **11**, 535-538 (1971).
32. W. H. Miller, Classical-Limit Green's Function (Fixed-Energy Propagator) and Classical Quantization of Non-Separable Systems, *J. Chem. Phys.* **56**, 38-45 (1972).
33. W. H. Miller, Classical Limit of Fredholm Theory for Elastic and Inelastic Scattering; Inability of Phase Space Integrals to Describe Inelastic Transitions, *J. Chem. Phys.* **56**, 745-748 (1972).

34. W. H. Miller, C. A. Slocumb, and H. F. Schaefer, Molecular Autoionization Lifetimes and Cross Sections for Penning Ionization: Numerical Results for $\text{He}^*(1s2s^3S) + \text{H}(1s^2S)$, *J. Chem. Phys.* **56**, 1347-1358 (1972).
35. S. M. Hornstein and W. H. Miller, Quantum Corrections (Within the Classical Path Approximation) to the Boltzmann Density Matrix, *Chem. Phys. Lett.* **13**, 298-300 (1972).
36. G. Wolken, W. H. Miller and M. Karplus, Theoretical Studies of $\text{H} + \text{H}_2$ Rotationally Inelastic Scattering, *J. Chem. Phys.* **56**, 4930-4946 (1972).
37. W. H. Miller and T. F. George, Semiclassical Theory of Electronic Transitions in Low Energy Atomic and Molecular Collisions Involving Several Nuclear Degrees of Freedom, *J. Chem. Phys.* **56**, 5637-5652 (1972).
38. W. H. Miller and T. F. George, Analytic Continuation of Classical Mechanics for Classically Forbidden Collision Processes, *J. Chem. Phys.* **56**, 5668-5681 (1972).
39. T. F. George and W. H. Miller, Complex-Valued Classical Trajectories for Linear Reactive Collisions of $\text{H} + \text{H}_2$ Below the Classical Threshold, *J. Chem. Phys.* **56**, 5722-5723 (1972).
40. T. F. George and W. H. Miller, Classical S-Matrix Theory of Reactive Tunneling: Linear $\text{H} + \text{H}_2$ Collisions, *J. Chem. Phys.* **57**, 2458-2467 (1972).
41. T. F. George and W. H. Miller, Open-Channel Projectors for Rearrangement Processes in Molecular Collisions, *Phys. Rev. A* **6**, 1885-1891 (1972).
42. J. D. Doll and W. H. Miller, Classical-Limit Quantization of Non-Separable Systems: Multi-Dimensional WKB Perturbation Theory, *J. Chem. Phys.* **57**, 4428-4434 (1972).
43. J. D. Doll and W. H. Miller, Classical S-Matrix for Vibrational Excitation of H_2 by Collision with He in Three Dimensions, *J. Chem. Phys.* **57**, 5019-5026 (1972).
44. J. D. Doll, T. F. George and W. H. Miller, Complex-Valued Classical Trajectories for Reactive Tunneling in Three-Dimensional Collisions of H and H_2 , *J. Chem. Phys.* **58**, 1343-1351 (1973).
45. W. H. Miller, Improved Classical Path Approximation for the Boltzmann Density Matrix, *J. Chem. Phys.* **58**, 1664-1667 (1973).
46. S. A. Augustin, W. H. Miller, P. K. Pearson and H. F. Schaefer, Potential Curves and Inelastic Cross Sections for Low Energy Collisions of O^+ and He, *J. Chem. Phys.* **58**, 2845-2850 (1973).
47. T. F. George and W. H. Miller, Classically Forbidden Collision Processes, in Energy, Structure and Reactivity, ed. D. W. Smith and W. B. McRae, Wiley, pp. 76-84 (1973).
48. B. J. Garrison, W. H. Miller and H. F. Schaefer, Penning and Associative Ionization of Triplet Metastable Helium Atoms, *J. Chem. Phys.* **59**, 3193-3198 (1973).
49. W. H. Miller and A. W. Raczkowski, Partial Averaging in Classical S-Matrix Theory; Vibrational Excitation of H_2 by He, *Faraday Disc. Chem. Soc.* **55**, 45-50 (1973).

50. W. H. Miller, Semiclassical Methods in Reactive and Non-Reactive Collisions, in The Physics of Electronic and Atomic Collisions, eds. B. C. Cobic and M. V. Kurepa, Institute of Physics, Belgrade, pp. 503-528 (1973).
51. W. H. Miller, Classical-Limit Quantum Mechanics and the Theory of Molecular Collisions, *Adv. Chem. Phys.* **25**, 69-177 (1974).
52. R. K. Preston, C. Sloane, and W. H. Miller, Semiclassical Theory of Collisionally Induced Fine-Structure Transitions in Fluorine Atoms, *J. Chem. Phys.* **60**, 4961-4969 (1974).
53. S. M. Hornstein and W. H. Miller, Modified Classical S-Matrix for Tunneling in the Collinear H + H₂ Reaction, *J. Chem. Phys.* **61**, 745-746 (1974).
54. W. H. Miller, Quantum Mechanical Transition State Theory and a New Semiclassical Model for Reaction Rate Constants, *J. Chem. Phys.* **61**, 1823-1834 (1974).
55. S. D. Augustin and W. H. Miller, Classical Trajectory Study of Rotational Excitation in Low Energy He - CO and He - H₂ Collisions, *Chem. Phys. Lett.* **28**, 149-152 (1974).
56. S. D. Augustin and W. H. Miller, Semiclassical Treatment of Atom-Asymmetric Rotor Collisions; Rotational Excitation of Formaldehyde at Low Energies, *J. Chem. Phys.* **61**, 3155-3163 (1974).
57. A. W. Raczkowski and W. H. Miller, Classical S-Matrix Calculation for Vibrationally Inelastic Transitions in Three-Dimensional Collisions of Li⁺ with H₂, *J. Chem. Phys.* **61**, 5413-5420 (1974).
58. R. I. Masel, R. P. Merrill, and W. H. Miller, Semiclassical Trajectory Calculations of Helium Scattering from W(112), *Surf. Sci.* **46**, 681-688 (1974).
59. G. E. Zahr, R. K. Preston, and W. H. Miller, Theoretical Treatment of Quenching in O(¹D) + N₂ Collisions, *J. Chem. Phys.* **62**, 1127-1135 (1975).
60. S. Chapman, S. M. Hornstein, and W. H. Miller, Accuracy of Transition State Theory for the Threshold of Chemical Reactions with Activation Energy: Collinear and Three-Dimensional H + H₂, *J. Am. Chem. Soc.* **97**, 892-894 (1975).
61. W. H. Miller, Semiclassical Limit of Quantum Mechanical Transition State Theory for Non-Separable Systems, *J. Chem. Phys.* **62**, 1899-1906 (1975).
62. W. H. Miller, The Classical S-Matrix in Molecular Collisions, *Adv. Chem. Phys.* **30**, 77-136 (1975).
63. W. H. Miller, Semiclassical Quantization of Non-Separable Systems: A New Look at Periodic Orbit Theory, *J. Chem. Phys.* **63**, 996-999 (1975).
64. W. H. Miller, Path Integral Representation of the Reaction Rate Constant in Quantum Mechanical Transition State Theory, *J. Chem. Phys.* **63**, 1166-1172 (1975).
65. R. N. Porter, L. M. Raff, and W. H. Miller, Quasiclassical Selection of Initial Coordinates and Momenta for a Rotating Morse Oscillator, *J. Chem. Phys.* **63**, 2214-2218 (1975).
66. G. E. Zahr and W. H. Miller, Semiclassical Theory of Diffraction in Elastic Scattering, *Mol. Phys.* **30**, 951-958 (1975).

67. S. Chapman, B. C. Garrett, and W. H. Miller, Semiclassical Transition State Theory for Non-Separable Systems: Application to the Collinear H + H₂ Reaction, *J. Chem. Phys.* **63**, 2710-2716 (1975).
68. F. T. Smith, D. L. Huestis, D. Mukherjee, and W. H. Miller, Semiclassical Perturbation Scattering by a Rigid Dipole, *Phys. Rev. Lett.* **35**, 1073-1076 (1975).
69. B. J. Garrison, W. A. Lester, W. H. Miller and S. Green, Cooling of the 6 cm and 2 cm Doublets of Interstellar H₂CO by Collision: An Accurate Quantum Mechanical Calculation, *Astrophys. J.* **200**, L175-L177 (1975).
70. R. I. Masel, R. P. Merrill, and W. H. Miller, Quantum Scattering from a Sinusoidal Hard-Wall – Atomic Diffraction from Solid Surfaces, *Phys. Rev. B* **12**, 5545-5551 (1975).
71. R. I. Masel, R. P. Merrill, and W. H. Miller, Semiclassical Model for Atomic Scattering from Solid Surfaces – He and Ne Scattering from W(112), *J. Chem. Phys.* **64**, 45-56 (1976).
72. A. P. Hickman, A. D. Isaacson, and W. H. Miller, Calculation of Autoionization States of He and H⁻, *Chem. Phys. Lett.* **37**, 63-66 (1976).
73. S. Chapman, B. C. Garrett, and W. H. Miller, Semiclassical Eigenvalues for Non-Separable Systems: Non-Perturbative Solution of the Hamilton-Jacobi Equation in Action-Angle Variables, *J. Chem. Phys.* **64**, 502-509 (1976).
74. R. I. Masel, R. P. Merrill, and W. H. Miller, Semiclassical Theories and Quantum Hardwall Calculations of Atom-Surface Scattering, *J. Vac. Sci. Tech.* **13**, 355-359 (1976).
75. W. H. Miller, On the Existence of Semiclassical Eigenvalues for Irregular Spectra, *J. Chem. Phys.* **64**, 2880-2883 (1976).
76. W. H. Miller, Importance of Non-Separability in Quantum Mechanical Transition State Theory, *Accounts Chem. Res.* **9**, 306-312 (1976).
77. B. J. Garrison, W. A. Lester, and W. H. Miller, Coupled Channel Study of Rotational Excitation of a Rigid Asymmetric Top by Atom Impact: (H₂CO, He) at Interstellar Temperatures, *J. Chem. Phys.* **65**, 2193-2200 (1976).
78. W. H. Miller, Unified Statistical Theory for 'Complex' and 'Direct' Reaction Mechanisms, *J. Chem. Phys.* **65**, 2216-2223 (1976).
79. R. I. Masel, R. P. Merrill, and W. H. Miller, Atomic Scattering from a Sinusoidal Hard Wall: Comparison of Approximate Methods with Exact Quantum Results, *J. Chem. Phys.* **65**, 2690-2699 (1976).
80. W. H. Miller, Recent Developments in Semiclassical Mechanics: Eigenvalues and Reaction Rate Constants, *The New World of Quantum Chemistry*, ed. B. Pullman and R. Parr, D. Reidel Publishing Co., Dordrecht (Netherlands), pp. 87-102 (1976).
81. W. H. Miller, Editor, *Dynamics of Molecular Collisions*, Part A, Volume 1 of *Modern Theoretical Chemistry*, Plenum Press, N.Y., 1976.

82. W. H. Miller, Editor, Dynamics of Molecular Collisions, Part B, Volume 2 of Modern Theoretical Chemistry, Plenum Press, N.Y., 1976.
83. H. F. Schaefer and W. H. Miller, Large Scale Scientific Computation via Minicomputer, Computers and Chemistry **1**, 85-90 (1976).
84. N. C. Handy, S. M. Colwell, and W. H. Miller, Semiclassical Methods for Vibrational Energy Levels of Triatomic Molecules, Faraday Disc. Chem. Soc. **62**, 29-39 (1977).
85. W. H. Miller, Semiclassical Theory for Non-Separable Systems: Construction of 'Good' Action-Angle Variables for Reaction Rate Constants, Faraday Disc. Chem. Soc. **62**, 40-46 (1977).
86. A. P. Hickman, A. D. Isaacson, and W. H. Miller, Feshbach Projection Operator Calculation of the Potential Energy Surfaces and Autoionization Lifetimes for He(2^3S) - H and He(2^3S) - H₂, J. Chem. Phys. **66**, 1483-1491 (1977).
87. A. P. Hickman, A. D. Isaacson, and W. H. Miller, Penning Ionization of H₂ by He(2^3S): Quantum Mechanical Scattering Calculations within the Rigid-Rotor Approximation, J. Chem. Phys. **66**, 1492-1495 (1977).
88. A. D. Isaacson, A. P. Hickman, and W. H. Miller, Penning Ionization of H₂ by He*: Calculation of Anomalous Structure in the Singlet Interaction Potential, J. Chem. Phys. **67**, 370-371 (1977).
89. C. W. McCurdy and W. H. Miller, Interference Effects in Rotational State Distributions; Propensity and Inverse Propensity, J. Chem. Phys. **67**, 463-468 (1977).
90. W. H. Miller and H. Morgner, A Unified Treatment of Penning Ionization and Excitation Transfer, J. Chem. Phys. **67**, 4923-4930 (1977).
91. J. E. Adams and W. H. Miller, Semiclassical Eigenvalues for Potential Functions Defined on a Finite Interval, J. Chem. Phys. **67**, 5775-5778 (1977).
92. R. M. Stratt and W. H. Miller, A Phase Space Sampling Approach to Equilibrium Semiclassical Statistical Mechanics, J. Chem. Phys. **67**, 5894-5903 (1977).
93. C. W. McCurdy and W. H. Miller, A New Helicity Representation for Reactive Atom-Diatom Collisions, in State-to-State Chemistry, eds. P. R. Brooks and E. F. Hayes, ACS Symp. Ser. **56**, 239-242 (1977).
94. P. K. Pearson, R. R. Lucchese, W. H. Miller, and H. F. Schaefer, Theoretical Chemistry via Minicomputer, in Minicomputers and Large Scale Computations, ed. P. Lykos, ACS Symp. Ser. **57**, 171-190 (1977).
95. W. H. Miller, Some Recent Developments in Statistical Theories of Chemical Reactions, in Physicochemical Hydrodynamics (V. G. Levich Festschrift), and ed. D. B. Spalding, Advanced Publications Ltd., London, pp. 845-856 (1977).
96. W. H. Miller and B. M. Skuse, On the Possibility of Direct Solution of the Classical Liouville for Inelastic Molecular Collisions; the Reduced Liouville Equation, J. Chem. Phys. **68**, 295-302 (1978).

97. S. M. Colwell, N. C. Handy, and W. H. Miller, A Semiclassical Determination of the Energy Levels of a Rigid Asymmetric Rotor, *J. Chem. Phys.* **68**, 745-749 (1978).
98. W. H. Miller and F. T. Smith, Semiclassical Perturbation Theory of Electron-Molecule Collisions, *Phys. Rev. A* **17**, 939-953 (1978).
99. S. Green, B. J. Garrison, W. A. Lester, and W. H. Miller, Collisional Excitation of Interstellar Formaldehyde, *Astrophys. J.* **222**, 1117 (1978); *Astrophys. J. Suppl. Ser.* **37**, 321-341 (1978).
100. B. C. Garrett and W. H. Miller, Quantum Mechanical Reactive Scattering via Exchange Kernels: Application to the Collinear H + H₂ Reaction, *J. Chem. Phys.* **68**, 4051-4055 (1978).
101. W. H. Miller, Resonance Effects in the Semiclassical Theory of Electronically Non-Adiabatic Collision Processes, *J. Chem. Phys.* **68**, 4431-4434 (1978).
102. W. H. Miller, A Classical/Semiclassical Theory for the Interaction of Infrared Radiation with Molecular Systems, *J. Chem. Phys.* **69**, 2188-2195 (1978).
103. A. E. Orel and W. H. Miller, Infrared Laser Induced Chemical Reactions, *Chem. Phys. Lett.* **57**, 362-363 (1978).
104. A. W. Raczkowski, W. A. Lester, Jr., and W. H. Miller, Vibrational Relaxation in the para H₂-⁴He System: Comparison of Coupled-Channel, Coupled-States, and Effective Potential Methods, *J. Chem. Phys.* **69**, 2692-2702 (1978).
105. A. D. Isaacson, C. W. McCurdy, and W. H. Miller, On the Possibility of Calculating Siegert Eigenvalues for Autoionizing Electronic States, *Chem. Phys.* **34**, 311-317 (1978).
106. W. H. Miller and C. W. McCurdy, Classical Trajectory Model for Electronically Non-Adiabatic Collision Phenomena: A Classical Model for Electronic Degrees of Freedom, *J. Chem. Phys.* **69**, 5163-5173 (1978).
107. S. M. Colwell, N. C. Handy and W. H. Miller, Semiclassical Eigenvalues for Rotating Triatomic Molecules, in Stochastic Behavior in Classical and Quantum Hamiltonian Systems, eds. G. Casati and J. Ford, Springer Verlag, N.Y., pp. 299-305 (1978).
108. A. D. Isaacson and W. H. Miller, Calculation of Siegert Eigenvalues for Molecular Systems: Results for He(2^{1,3}S) + H₂, *Chem. Phys. Lett.* **62**, 374-377 (1979).
109. A. E. Orel and W. H. Miller, Infrared Laser Enhancement of Chemical Reactions via Collision Induced Absorption, *J. Chem. Phys.* **70**, 4393-4399 (1979).
110. J. E. Adams and W. H. Miller, On Expansion of Exchange Kernels for Reactive Scattering, *J. Phys. Chem.* **83**, 1505-1508 (1979).
111. C. W. McCurdy, H. D. Meyer, and W. H. Miller, Classical Model for Electronic Degrees of Freedom in Non-Adiabatic Collision Processes: Pseudo-Potential Analysis and Calculations for F(2P_{1/2}) + H⁺, Xe → F(2P_{3/2}) + H⁺, Xe, *J. Chem. Phys.* **70**, 3177-3187 (1979).
112. H. D. Meyer and W. H. Miller, A Classical Analog for Electronic Degrees of Freedom in Non-Adiabatic Collision Processes, *J. Chem. Phys.* **70**, 3214-3223 (1979).

113. A. D. Bandrauk and W. H. Miller, Analysis of the Generalized Stueckelberg Method of Non-Adiabatic Transitions, *Mol. Phys.* **38**, 1893-1907 (1979).
114. W. H. Miller, On the Periodic Orbit Description of Tunneling in Symmetric and Asymmetric Double-Well Potential, *J. Phys. Chem.* **83**, 960-963 (1979).
115. J. E. Adams and W. H. Miller, A Unified Model for Diffractive and Inelastic Scattering of a Light Atom from a Solid Surface, *Surf. Sci.* **85**, 77-93 (1979).
116. W. H. Miller, Tunneling Corrections to Unimolecular Rate Constants, with Application to Formaldehyde, *J. Am. Chem. Soc.* **101**, 6810-6814 (1979).
117. A. E. Orel and W. H. Miller, Infrared Laser Induced Chemical Reactions; Calculations for $X + H_2 \rightarrow HX + H$, in *Rarefied Gas Dynamics*, ed. R. Campargue, Commissariat a L'Energie Atomique, Paris, pp. 1061-1068 (1979).
118. H. D. Meyer and W. H. Miller, Classical Models for Electronic Degrees of Freedom: Derivation via Spin Analogy and Application to $F^* + H_2 \rightarrow F + H_2$, *J. Chem. Phys.* **71**, 2156-2169 (1979).
119. R. M. Stratt, N. C. Handy, and W. H. Miller, On the Quantum Mechanical Implications of Classical Ergodicity, *J. Chem. Phys.* **71**, 3311-3322 (1979).
120. W. H. Miller, N. C. Handy and J. E. Adams, Reaction Path Hamiltonian for Polyatomic Molecules, *J. Chem. Phys.* **72**, 99-112 (1980).
121. W. H. Miller, Reply to a Comment by Milonni on "A Classical Semiclassical Theory for the Interaction of Infrared Radiation with Molecular Systems", *J. Chem. Phys.* **72**, 788-789 (1980).
122. H. D. Meyer and W. H. Miller, Analysis and Extension of Some Recently Proposed Classical Models for Electronic Degrees of Freedom, *J. Chem. Phys.* **72**, 2272-2281 (1980).
123. A. E. Orel and W. H. Miller, Collision Induced Absorption Spectra for Gas Phase Chemical Reaction in a High Power IR Laser Field, *J. Chem. Phys.* **72**, 5139-5144 (1980).
124. A. E. Orel and W. H. Miller, Classical Model for Laser-Induced Non-Adiabatic Collision Processes, *J. Chem. Phys.* **73**, 241-246 (1980).
125. S. K. Gray, W. H. Miller, Y. Yamaguchi, and H. F. Schaefer, Reaction Path Hamiltonian: Tunneling Effects in the Unimolecular Isomerization $HNC \rightarrow HCN$, *J. Chem. Phys.* **73**, 2733-2739 (1980).
126. C. W. McCurdy and W. H. Miller, Progress in the Application of Classical S-Matrix Theory to Inelastic Collision Processes, *J. Chem. Phys.* **73**, 3191-3197 (1980).
127. B. A. Waite and W. H. Miller, Model Studies of Mode-Specificity in Unimolecular Reaction Dynamics, *J. Chem. Phys.* **73**, 3713-3721 (1980).
128. A. E. Orel and W. H. Miller, Enhancement of Chemical Reactions by Collision Induced Absorption of Infrared Laser Radiation, in *Electronic and Atomic Collisions*, eds. N. Oda and K. Takayanagi, North-Holland Pub., pp. 719-722 (1980).

129. W. H. Miller, Reaction Path Hamiltonian for Polyatomic Systems: Further Developments and Applications, in Potential Energy Surfaces and Dynamical Calculations, ed. D. G. Truhlar, Plenum Press, N.Y., pp. 265-286 (1981).
130. S. K. Gray, W. H. Miller, Y. Yamaguchi, and H. F. Schaefer, Tunneling in the Unimolecular Decomposition of Formaldehyde, A More Quantitative Study, *J. Am. Chem. Soc.* **103**, 1900-1904 (1981).
131. Y. Osamura, H. F. Schaefer, S. K. Gray, and W. H. Miller, Vinylidene, A Shallow Minimum on the C₂H₂ Potential Energy Surface: Static and Dynamical Considerations, *J. Am. Chem. Soc.* **103**, 1904-1907 (1981).
132. B. A. Waite and W. H. Miller, Mode-Specificity in Unimolecular Reaction Dynamics: The Henon-Heiles Potential Energy Surface, *J. Chem. Phys.* **74**, 3910-3915 (1981).
133. A. E. Orel, D. P. Ali and W. H. Miller, Classical Model for Electronically Non-Adiabatic Collision Processes: Resonance Effects in Electronic-Vibrational Energy Transfer, *Chem. Phys. Lett.* **79**, 137-141 (1981).
134. W. H. Miller and A. E. Orel, Classical Trajectory Models for Electronically Non-Adiabatic Collision Processes: A Classical Valence Bond Model for Electronic Degrees of Freedom, *J. Chem. Phys.* **74**, 6075-6082 (1981).
135. W. H. Miller and S-H. Shi, Unified Semiclassical Perturbation and Infinite Order Sudden Approximation, With Application to the Reaction Path Hamiltonian Model, *J. Chem. Phys.* **75**, 2258-2264 (1981).
136. C. J. Cerjan and W. H. Miller, On Finding Transition States, *J. Chem. Phys.* **75**, 2800-2806 (1981).
137. C. J. Cerjan, S-H. Shi, and W. H. Miller, Applications of a Simple Dynamical Model to the Reaction Path Hamiltonian: Tunneling Corrections to Rate Constants, Product State Distributions, Line Widths of Local Mode Overtones, and Mode-Specificity in Unimolecular Decomposition, *J. Phys. Chem.* **86**, 2244-2251 (1982).
138. B. A. Waite and W. H. Miller, A Semiclassical Multichannel Branching Model for Describing State-Specific Unimolecular Decomposition and Other Dynamical Processes in Polyatomic Molecular Systems, *J. Chem. Phys.* **76**, 2412-2422 (1982).
139. W. H. Miller, Effect of Reaction Path Curvature and Dimensionality on the Accuracy of Classical Transition State Theory, *J. Chem. Phys.* **76**, 4904-4908 (1982).
140. W. H. Miller, Chemical Dynamics, McGraw-Hill Encyclopedia of Science and Technology, 5th Edition, McGraw-Hill, pp. 50-51 (1982).
141. W. H. Miller and S. Schwartz, System-Bath Decomposition of the Reaction Path Hamiltonian for Polyatomic Scattering; Quantum Perturbative Treatment, *J. Chem. Phys.* **77**, 2378-2382 (1982).
142. S. K. Gray and W. H. Miller, Classical Model for Electronic Degrees of Freedom: Charge Transfer in Na + I Collisions, *Chem. Phys. Lett.* **93**, 341-344 (1982).

143. C. Hiller, J. Manz, W. H. Miller and J. Römel, Oscillating Reactivity of Collinear Symmetric Heavy + Light-Heavy Reactions, *J. Chem. Phys.* **78**, 3850-3856 (1983).
144. W. H. Miller, Dynamical Effects of Symmetry along a Reaction Path: Mode Specificity in the Unimolecular Dissociation of Formaldehyde, *J. Am. Chem. Soc.* **105**, 216-220 (1983).
145. B. A. Waite, S. K. Gray and W. H. Miller, Mode Specificity in the Unimolecular Dissociation of Formaldehyde ($\text{H}_2\text{CO} \rightarrow \text{H}_2 + \text{CO}$), a Two-Mode Model, *J. Chem. Phys.* **78**, 259-265 (1983).
146. L. M. Hubbard and W. H. Miller, Application of the Semiclassical Perturbation (SCP) Approximation to Diffraction and Rotationally Inelastic Scattering of Atoms and Molecules from Surfaces, *J. Chem. Phys.* **78**, 1801-1807 (1983).
147. J. Bicerano, H. F. Schaefer, and W. H. Miller, Structure and Tunneling Dynamics of Malonaldehyde, a Theoretical Study, *J. Am. Chem. Soc.* **105**, 2550-2553 (1983).
148. W. H. Miller, Symmetry-Adapted Transition State Theory and a Unified Treatment of Multiple Transition States, *J. Phys. Chem.* **87**, 21-22 (1983).
149. L. M. Hubbard, S-H. Shi, and W. H. Miller, Multi-Channel Distorted Wave Born Approximation for Reactive Scattering, *J. Chem. Phys.* **78**, 2381-2387 (1983).
150. D. P. Ali and W. H. Miller, Effect of Electronic Transition Dynamics on Iodine Atom Recombination in Liquids, *J. Chem. Phys.* **78**, 6640-6645 (1983).
151. S. Schwartz and W. H. Miller, System-Bath Decomposition of the Reaction Path Hamiltonian. II. Rotationally Inelastic Reactive Scattering of $\text{H} + \text{H}_2$ in Three Dimensions, *J. Chem. Phys.* **79**, 3759-3764 (1983).
152. W. H. Miller, Symmetry Adapted Transition State Theory: Non-Zero Total Angular Momentum, *J. Phys. Chem.* **87**, 2731-2733 (1983).
153. W. H. Miller, On the Question of Mode-Specificity in Unimolecular Reaction Dynamics, *Laser Chem.* **2**, 243-252 (1983).
154. W. H. Miller, Reaction Path Dynamics for Polyatomic Systems, *J. Phys. Chem.* **87**, 3811-3819 (1983).
155. W. H. Miller, S. D. Schwartz, and J. W. Tromp, Quantum Mechanical Rate Constants for Bimolecular Reactions, *J. Chem. Phys.* **79**, 4889-4898 (1983).
156. D. P. Ali and W. H. Miller, Classical Models for Electronic Degrees of Freedom: Quenching of $\text{Br}^*(^2\text{P}_{1/2})$ by Collision with H_2 in Three Dimensions, *Chem. Phys. Lett.* **103**, 470-474 (1984).
157. T. Carrington, Jr., L. M. Hubbard, H. F. Schaefer, and W. H. Miller, Vinylidene: Potential Energy Surface and Unimolecular Reaction Dynamics, *J. Chem. Phys.* **80**, 4347-4354 (1984).
158. L. M. Hubbard and W. H. Miller, Application of the Semiclassical Perturbation Approximation to Scattering from Surfaces: Generalization to Include Phonon Inelasticity, *J. Chem. Phys.* **80**, 5827-5831 (1984).

159. D. P. Ali and W. H. Miller, Geminate Recombination of Iodine Atoms in Solution: a Generalized Langevin Treatment Including the Effect of Electronically Inelastic Transitions, *Chem. Phys. Lett.* **105**, 501-505 (1984).
160. G. C. Schatz, L. M. Hubbard, P. S. Dardi, and W. H. Miller, Coupled Channel Distorted Wave Calculations for the Three Dimensional H + H₂ Reaction, *J. Chem. Phys.* **81**, 231-240 (1984).
161. W. H. Miller, Calculation of Semiclassical Eigenvalues with One Arbitrary Trajectory, *J. Chem. Phys.* **81**, 3573-3575 (1984).
162. E. Pollak and W. H. Miller, A New Physical Interpretation for Time in Scattering Theory, *Phys. Rev. Lett.* **53**, 115-118 (1984) .
163. T. Carrington, Jr. and W. H. Miller, Reaction Surface Hamiltonian for the Dynamics of Reactions in Polyatomic Systems, *J. Chem. Phys.* **81**, 3942-3950 (1984).
164. R. Jaquet and W. H. Miller, Quantum Mechanical Rate Constants via Path Integrals: Diffusion of Hydrogen Atoms on a W(100) Surface, *J. Phys. Chem.* **89**, 2139-2144 (1985).
165. M. J. Frisch, B. Liu, J. S. Binkley, H. F. Schaefer, and W. H. Miller, Further Theoretical Examination of the F + H₂ Entrance Channel Barrier, *Chem. Phys. Lett.* **114**, 1-5 (1985).
166. S-H. Shi and W. H. Miller, A Semiclassical Model for Intramolecular Vibrational Relaxation of Local Mode Overtone States in Polyatomic Molecules, *Theor. Chim. Acta* **68**, 1-21 (1985).
167. P. S. Dardi, S-H. Shi, and W. H. Miller, Quantum Mechanical Reactive Scattering via Exchange Kernels: Infinite Order Exchange on a Grid, *J. Chem. Phys.* **83**, 575-583 (1985).
168. K. Yamashita and W. H. Miller, 'Direct' Calculation of Quantum Mechanical Rate Constants via Path Integral Methods: Application to the Reaction Path Hamiltonian with Numerical Test for the H + H₂ Reaction in 3-D, *J. Chem. Phys.* **82**, 5475-5484 (1985).
169. W. H. Miller, Semiclassical Methods in Chemical Dynamics, in Semiclassical Descriptions of Atomic and Nuclear Collisions (Niels Bohr Centennial Conferences), ed. J. Bang and J. deBoer, North Holland, pp. 9-28 (1985).
170. W. H. Miller, Some Recent Initiatives in Quantum Mechanical Reactive Scattering, in Molecular Reaction Dynamics, eds. R. Vetter and J. Vigue, Editions du Centre National de la Recherche Scientifique, Paris, pp. 147-162 (1986).
171. W. H. Miller, Reaction Path Models for Polyatomic Reaction Dynamics – from Transition State Theory to Path Integrals, in The Theory of Chemical Reaction Dynamics, ed. D. C. Clary, Reidel, Boston, pp. 27-45 (1986).
172. T. Carrington, Jr. and W. H. Miller, Reaction Surface Description of Intramolecular Hydrogen Atom Transfer in Malonaldehyde, *J. Chem. Phys.* **84**, 4364-4370 (1986).
173. W. H. Miller and K. A. White, Classical Models for Electronic Degrees of Freedom: the Second-Quantized Many-Electron Hamiltonian, *J. Chem. Phys.* **84**, 5059-5066 (1986).

174. N. C. Handy, T. J. Lee, and W. H. Miller, Spin-Orbit and Diagonal Born-Oppenheimer Corrections for the Reaction $F + H_2 \rightarrow HF + H$, *Chem. Phys. Lett.* **125**, 12-18 (1986).
175. W. H. Miller, Semiclassical Methods in Chemical Physics, *Science* **233**, 171-177 (1986).
176. J. W. Tromp and W. H. Miller, New Approach to Quantum Mechanical Transition State Theory, *J. Phys. Chem.* **90**, 3482-3485 (1986).
177. W. H. Miller, Comment on "Probability Oscillations in Single Pass Curve Crossings: Semiclassical Predictions of Non-Monotonic Dependence on Crossing Velocity", *J. Chem. Phys.* **85**, 3703-3704 (1986).
178. M. R. Hermann and W. H. Miller, Quantum Mechanical Reactive Scattering via Exchange Kernels: Comparison of Grid versus Basis Set Expansion of the Exchange Kernel, *Chem. Phys.* **109**, 163-172 (1986).
179. W. H. Miller, Reaction Paths and Surfaces for Hydrogen Atom Transfer Reactions in Polyatomic Molecules, in Tunneling, eds. J. Jortner and B. Pullman, D. Reidel, Boston, pp. 91-101 (1986),
180. W. H. Miller, Tunneling and State-Specificity in Unimolecular Reactions, *Chem. Rev.* **87**, 19-27 (1987).
181. N. Makri and W. H. Miller, Basis Set Methods for Describing the Quantum Mechanics of a 'System' Interacting with a Harmonic 'Bath', *J. Chem. Phys.* **86**, 1451-1457 (1987).
182. W. H. Miller, A Schrödinger Equation Analog to the Generalized Langevin Equation of Classical Mechanics, with Application to Reactive Flux Correlation Functions, in Stochasticity and Intramolecular Redistribution of Energy, eds. R. Lefebvre and S. Mukamel, D. Reidel, Boston, pp. 263-272 (1987).
183. W. H. Miller and B. M. D. D. Jansen op de Haar, A New Basis Set Method for Quantum Scattering Calculations, *J. Chem. Phys.* **86**, 6213-6220 (1987).
184. J. Chang and W. H. Miller, Monte Carlo Path Integration in Real Time via Complex Coordinates, *J. Chem. Phys.* **87**, 1648-1652 (1987).
185. W. H. Miller, Reactive Flux Correlation Functions and Monte Carlo Evaluation of Real Time Path Integrals, in Few-Body Systems and Multiparticle Dynamics, ed. D. A. Micha, Am. Inst. Physics, N.Y., pp. 245-260 (1987).
186. Y-T. Chang, Y. Yamaguchi, W. H. Miller, and H. F. Schaefer, An Analysis of the Infrared and Raman Spectra of the Formic Acid Dimer $(HCOOH)_2$, *J. Am. Chem. Soc.* **109**, 7245-7253 (1987).
187. J. W. Tromp and W. H. Miller, The Reactive Flux Correlation Function for Collinear Reactions: $H + H_2$, $Cl + HCl$, $F + H_2$, *Faraday Disc. Chem. Soc.* **84**, 441-453 (1987).
188. N. Makri and W. H. Miller, Monte Carlo Integration with Oscillatory Integrand, with Implications for Feynman Path Integration in Real Time, *Chem. Phys. Lett.* **139**, 10-14 (1987).

189. N. Makri and W. H. Miller, Time-Dependent Self Consistent Field (TDSCF) Approximation for a Reaction Coordinate Coupled to a Harmonic Bath: Single and Multi-Configuration Treatments, *J. Chem. Phys.* **87**, 5781-5787 (1987).
190. J. Z. H. Zhang and W. H. Miller, New Method for Quantum Reactive Scattering, with Applications to the 3-D H + H₂ Reaction, *Chem. Phys. Lett.* **140**, 329-337 (1987).
191. B. A. Ruf and W. H. Miller, A New (Cartesian) Model for Reaction Dynamics in Polyatomic Systems, with Application to H-Atom Transfer in Malonaldehyde, *J. Chem. Soc., Faraday Trans. 2* **84**, 1523-1534 (1988).
192. W. H. Miller, A New Variational Expression for the Scattering Matrix, *Collect. Czech. Chem. Comm.* **53**, 1873-1880 (1988).
193. J. Z. H. Zhang, S. I. Chu, and W. H. Miller, Quantum Scattering via the S-Matrix Version of the Kohn Variational Principle, *J. Chem. Phys.* **88**, 6233-6239 (1988).
194. W. F. Polik, C. B. Moore, and W. H. Miller, Quantum Interference Among Competing Unimolecular Decay Channels: Asymmetric D₂CO Decay Profiles, *J. Chem. Phys.* **89**, 3584-3591 (1988).
195. J. Z. H. Zhang and W. H. Miller, Accurate 3-Dimensional Quantum Scattering Calculations for F + H₂ → HF + H, *J. Chem. Phys.* **88**, 4549-4550 (1988).
196. N. Makri and W. H. Miller, Monte Carlo Path Integration for the Real Time Propagator, *J. Chem. Phys.* **89**, 2170-2177 (1988).
197. J. Z. H. Zhang and W. H. Miller, Comment on "Quantum Scattering via the S-Matrix Version of the Kohn Variational Principle", *J. Chem. Phys.* **89**, 4454 (1988).
198. W. H. Miller, Effect of Fluctuations in State-Specific Unimolecular Rate Constants on the Pressure Dependence of the Average Unimolecular Reaction Rate, *J. Phys. Chem.* **92**, 4261-4263 (1988).
199. W. H. Miller, Recent Developments in Quantum Mechanical Reactive Scattering-the S-Matrix Version of the Kohn Variational Principle, *Comments At. Mol. Phys.* **22**, 115-131 (1988).
200. W. H. Miller, Theoretical Models for Reaction Dynamics in Polyatomic Molecular Systems, in New Theoretical Concepts for Understanding Organic Reactions, eds. J. Bertran and I. G. Csizmadia, NATO ASI Series, Vol. 267, pp. 347-372 (1989).
201. W. H. Miller, B. A. Ruf, and Y. T. Chang, A Diabatic Reaction Path Hamiltonian, *J. Chem. Phys.* **89**, 6298-6304 (1988).
202. N. Makri and W. H. Miller, Correct Short-Time Propagator for Feynman Path Integration by Power Series Expansion in Δt , *Chem. Phys. Lett.* **151**, 1-8 (1988).
203. A. C. Peet and W. H. Miller, A Pointwise Representation of the S-Matrix Kohn Variational Principle for Quantum Scattering, *Chem. Phys. Lett.* **149**, 257-264 (1988).

204. J. Z. H. Zhang and W. H. Miller, Quantum Reactive Scattering via the S-Matrix Version of the Kohn Variational Principle: Integral Cross Sections for $\text{H} + \text{H}_2(v_1=j_1=0) \rightarrow \text{H}_2(v_2=1, j_2=1,3) + \text{H}$ in the Energy Range $E_{\text{total}} = 0.9 \text{ eV} - 1.4 \text{ eV}$, *Chem. Phys. Lett.* **153**, 465-470 (1988).
205. N. Makri and W. H. Miller, Exponential Power Series Expansion for the Quantum Time Evolution Operator, *J. Chem. Phys.* **90**, 904-911 (1989).
206. W. H. Miller, Quantum Mechanics of Chemical Reactions: Recent Developments in Reactive Scattering and in Reaction Path Hamiltonians, in Perspectives in Quantum Chemistry, eds. B. Pullman and J. Jortner, (6th Int. Cong. on Quant. Chem., Jerusalem) D. Reidel, pp. 57-82 (1989).
207. J. Z. H. Zhang and W. H. Miller, Reply to Comment on: Accurate Three-Dimensional Quantum Scattering Calculations for $\text{F} + \text{H}_2 \rightarrow \text{HF} + \text{H}$, *J. Chem. Phys.* **90**, 7610 (1989).
208. J. Z. H. Zhang and W. H. Miller, Quantum Reactive Scattering via the S-Matrix Version of the Kohn Variational Principle: Differential and Integral Cross Sections for $\text{D} + \text{H}_2 \rightarrow \text{HD} + \text{H}$, *J. Chem. Phys.* **91**, 1528-1547 (1989).
209. J. Z. H. Zhang and W. H. Miller, Differential Cross Section (Angular Distribution) for the Reaction $\text{H} + \text{H}_2(v=j=0) \rightarrow \text{H}_2(v', \text{odd } j') + \text{H}$ in the Energy Range 0.90-1.35 eV, *Chem. Phys. Lett.* **159**, 130-133 (1989).
210. N. Makri and W. H. Miller, A Semiclassical Tunneling Model for Use in Classical Trajectory Simulations, *J. Chem. Phys.* **91**, 4026-4036 (1989).
211. L. F. X. Gaucher and W. H. Miller, On the Absence of Anomalous Singularities in the S-Matrix Version of the Kohn Variational Principle of Quantum Scattering, *Isr. J. Chem.* **29**, 349-354 (1989).
212. G. A. Voth, D. Chandler, and W. H. Miller, Time Correlation Function and Path Integral Analysis of Quantum Constants, *J. Phys. Chem.* **93**, 7009-7015 (1989).
213. W. H. Miller, W. L. Hase, and C. L. Darling, A Simple Model for Correcting the Zero Point Energy Problem in Classical Trajectory Simulations of Polyatomic Molecules, *J. Chem. Phys.* **91**, 2863-2868 (1989).
214. W. Yang and W. H. Miller, Block Lanczos Approach Combined with Matrix Continued Fraction for the S-Matrix Kohn Variational Principle in Quantum Scattering, *J. Chem. Phys.* **91**, 3504-3508 (1989).
215. W. Yang, A. C. Peet, and W. H. Miller, A Collocation Approach for Quantum Scattering Based on the S-Matrix Kohn Variational Principle, *J. Chem. Phys.* **91**, 7537-7542 (1989).
216. G. A. Voth, D. Chandler, and W. H. Miller, Rigorous Formulation of Quantum Transition State Theory and its Dynamical Corrections, *J. Chem. Phys.* **91**, 7749-7760 (1989).
217. W. H. Miller, Y.-T. Chang, and N. Makri, Some New Theoretical Methods for Treating Reaction Dynamics in Polyatomic Molecular Systems, in Computational Advances in Organic Chemistry: Molecular Structure and Reactivity, eds. C. Ögretir and I. G. Csizmadia, Kluwer, pp. 289-302 (1991).

218. Z. J. H. Zhang and W. H. Miller, Photodissociation and Continuum Resonance Raman Cross Sections, and General Franck-Condon Intensities, from S-Matrix Kohn Scattering Calculations, with Application to the Photoelectron Spectrum of $\text{H}_2\text{F}^+ + h\nu \rightarrow \text{H}_2 + \text{F}, \text{HF} + \text{H} + \text{e}^-$, *J. Chem. Phys.* **92**, 1811-1818 (1990).
219. G. A. Voth, D. Chandler, and W. H. Miller, A New Perspective on Quantum Mechanical Transition State Theory, in *Quantum Simulations of Condensed Matter Phenomena*, eds. J. J. D. Dolland and J. E. Gubernatis, World Scientific Press, pp. 391-400 (1990).
220. W. F. Polik, D. R. Guyer, W. H. Miller, and C. B. Moore, Eigenstate-resolved Unimolecular Reaction Dynamics: Ergodic Character of S_0 Formaldehyde at the Dissociation Threshold, *J. Chem. Phys.* **92**, 3471-3484 (1990).
221. Z. J. H. Zhang and W. H. Miller, Quasi-Adiabatic Basis Functions for the S-Matrix Kohn Variational Approach to Quantum Reactive Scattering, *J. Phys. Chem.* **94**, 7785-7789 (1990).
222. S. M. Auerbach, J. Z. H. Zhang, and W. H. Miller, Comparison of Quantum Scattering Calculations for the $\text{H} + \text{H}_2$ Reaction using the LSTH and DMBE Potentials, *J. Chem. Soc. Faraday Trans.* **86**, 1701-1704 (1990)
223. M. Moreno and W. H. Miller, On the Tautomerization Reaction 2-Pyridone \leftrightarrow 2-Hydroxypyridine: An *Ab Initio* Study, *Chem. Phys. Lett.* **171**, 475-479 (1990).
224. W. H. Miller, Quantum Mechanical Reactive Scattering Theory for Simple Chemical Reactions: Recent Developments in Methodology and Applications, AIP Conference Proceedings 205, *The Physics of Electronic and Atomic Collisions*, pp. 442-450 (1990).
225. Y.-T. Chang and W. H. Miller, An Empirical Valence Bond Model for Constructing Global Potential Energy Surfaces for Chemical Reactions of Polyatomic Molecular Systems, *J. Phys. Chem.* **94**, 5884-5888 (1990).
226. W. H. Miller, Recent Advances in Quantum Mechanical Reactive Scattering Theory, Including Comparison of Recent Experiments with Rigorous Calculations of State-to-State Cross Section for the $\text{H/D} + \text{H}_2 \rightarrow \text{H}_2/\text{HD} + \text{H}$ Reaction, *Ann. Rev. Phys. Chem.* **41**, 245-281 (1990).
227. R. E. Continetti, J. Z. H. Zhang and W.H. Miller, Comment on: Resonance Structure in the Energy-Dependence of State-to-State Differential Scattering Cross Section for the $\text{D} + \text{H}_2(v,j) \rightarrow \text{HD}(v',j') + \text{H}$ Reaction, *J. Chem. Phys.* **93**, 5356-5357 (1990).
228. W. H. Miller, R. Hernandez, N. C. Handy, D. Jayatilaka, and A. Willetts, *Ab Initio* Calculation of Anharmonic Constants for a Transition State, with Application to Semiclassical Transition State Tunneling Probabilities, *Chem. Phys. Lett.* **172**, 62-68 (1990).
229. W. H. Miller, R. Hernandez, C. B. Moore, and W. F. Polik, A Transition State Theory-Based Statistical Distribution of Unimolecular Decay Rates, with Application to Unimolecular Decomposition of Formaldehyde, *J. Chem. Phys.* **93**, 5657-5666 (1990).
230. J. Z. H. Zhang, D. L. Yeager and W. H. Miller, 3D Quantum Reactive Scattering Calculations of the Reaction $\text{He} + \text{H}_2^+ \rightarrow \text{HeH}^+ + \text{H}$ for Total Angular Momentum $J=0$, *Chem. Phys. Lett.* **173**, 489-495 (1990).

231. C. B. Moore, Q.-K. Zheng, Y. S. Choi, W. H. Green, S. K. Kim, A. J. Mahoney, W. H. Miller, C. D. Pibel, W. F. Polik and P. Teal, The High-Resolution Spectroscopy of Dissociating Molecules, *Phil. Trans. Roy. Soc. Lond. Ser. A* **332**, 297-307 (1990).
232. W. H. Miller and J. Z. H. Zhang, How to Observe the Elusive Resonances in H or $D + H_2 \rightarrow H_2$ or $HD + H$ Reactive Scattering, *J. Phys. Chem.* **95**, 12-19 (1991).
233. W. H. Miller, Some New Approaches to Semiclassical and Quantum Transition State Theory, *Ber. Bunsenges Phys. Chem.* **95**, 389-393 (1991).
234. D. L. Yeager and W. H. Miller, Complex Log-Derivative Method for Non-Reactive Coupled-Channel Scattering Calculations, *J. Phys. Chem.* **95**, 8212-8215 (1991).
235. T. Seideman and W. H. Miller, Transition State Theory, Siegert Eigenstates, and Quantum Mechanical Reaction Rates, *J. Chem. Phys.* **95**, 1768-1780 (1991).
236. W. H. Miller, Comment on: Semiclassical Time Evolution without Root Searches, *J. Chem. Phys.* **95**, 9428-9430 (1991).
237. T. Uzer and W.H. Miller, Theories of Intramolecular Vibrational Energy Transfer, *Phys. Rep.* **199**, 73-146 (1991).
238. J. Z. H. Zhang, W. H. Miller, A. Weaver and D. Neumark, Quantum Reactive Scattering Calculations of Franck-Condon Factors for the Photodetachment of H_2F^- and D_2F^- and Comparisons with Experiment, *Chem. Phys. Lett.* **182**, 283-289 (1991).
239. R. A. Harris, C. J. Grayce, N. Makri and W. H. Miller, Comment on: A Corrected Exponential Power Series Expansion of the Position Matrix Elements of the Time Evolution Operator for a System in the Presence of a Vector Potential, *J. Chem. Phys.* **94**, 4682-4683 (1991).
240. W. H. Miller, Quantum Mechanical Scattering for Chemical Reactions, in Methods in Computational Molecular Physics, ed. S. Wilson and G. H. F. Diercksen, Plenum, N.Y., pp. 519-533 (1992).
241. Y. T. Chang, C. Minichino, and W. H. Miller, Classical Trajectory Studies of the Molecular Dissociation Dynamics of Formaldehyde: $H_2CO \rightarrow H_2 + CO$, *J. Chem. Phys.* **96**, 4341-4355 (1992).
242. W. H. Miller, Reaction Dynamics in Polyatomic Molecular Systems: Some Approaches for Constructing Potential Energy Surfaces and Incorporating Quantum Effects in Classical Trajectory Simulations, in Molecular Aspects of Biotechnology: Computational Models and Theories, ed. J. Bertran, Kluwer Academic Pub., pp. 193-235 (1992).
243. D. T. Colbert and W. H. Miller, A Novel Discrete Variable Representation (DVR) for Quantum Mechanical Reactive Scattering via the S-Matrix Kohn Method, *J. Chem. Phys.* **96**, 1982-1991 (1992).
244. T. Seideman and W. H. Miller, Calculation of the Cumulative Reaction Probability via a Discrete Variable Representation with Absorbing Boundary Conditions, *J. Chem. Phys.* **96**, 4412-4422 (1992).

245. M. J. Cohen, N. C. Handy, R. Hernandez, and W. H. Miller, Cumulative Reaction Probabilities for $\text{H} + \text{H}_2 \rightarrow \text{H}_2 + \text{H}$ from a Knowledge of the Anharmonic Force Field, *Chem. Phys. Lett.* **192**, 407-416 (1992).
246. T. D. Sewell, D. L. Thompson, D. Gezelter, and W. H. Miller, Some Problems of Correcting the Zero-Point Energy Problem in Classical Trajectories, *Chem. Phys. Lett.* **193**, 512-517 (1992).
247. T. Seideman and W. H. Miller, Quantum Mechanical Reaction Probabilities via a Discrete Variable Representation-Absorbing Boundary Condition Green's Function, *J. Chem. Phys.* **97**, 2499-2514 (1992).
248. W. H. Miller and T. Seideman, Cumulative and State-to-State Reaction Probabilities via a Discrete Variable Representation — Absorbing Boundary Condition Green's Function, in Time Dependent Quantum Molecular Dynamics: Experiments and Theory, ed. J. Broeckhove and L. Lathouwers, Plenum, N.Y., pp. 267-277 (1992).
249. G. Stock and W. H. Miller, A Classical Model for Time- and Frequency-Resolved Spectroscopy of Nonadiabatic Excited State Dynamics, *Chem. Phys. Lett.* **197**, 396-404 (1992).
250. W. H. Miller, Beyond Transition State Theory — A Rigorous Quantum Theory of Chemical Reaction Rates, *Accts. Chem. Res.* **26**, 174-181 (1993).
251. W. H. Miller, S-Matrix Version of the Kohn Variational Principle for Quantum Scattering Theory of Chemical Reactions, in Advances in Molecular Vibrations and Collision Dynamics: Quantum Reactive Scattering, Vol. IIA, ed. J. M. Bowman, JAI Press, Greenwich, pp. 1-32 (1994)
252. S. Keshavamurthy and W. H. Miller, A Semiclassical Model to Incorporate Multidimensional Tunneling in Classical Trajectory Simulations Using Locally Conserved Actions, *Chem. Phys. Lett.* **205**, 96-101 (1993).
253. P. Saalfrank and W. H. Miller, Time-Independent Quantum Dynamics for Diatom-Surface Scattering, *J. Chem. Phys.* **98**, 9040-9052 (1993).
254. S. M. Auerbach and W. H. Miller, Quantum Mechanical Reaction Probabilities with a Power Series Green's Function, *J. Chem. Phys.* **98**, 6917-6928 (1993).
255. W. H. Thompson and W. H. Miller, State-Specific Reaction Probabilities from a DVR ABC Green's Function, *Chem. Phys. Lett.* **206**, 123-129 (1993).
256. R. Hernandez, W. H. Miller, C. B. Moore, and W. F. Polik, A Random Matrix/Transition State Theory for the Probability Distribution of State-Specific Unimolecular Decay Rates: Generalization to Include Total Angular Momentum Conservation and Other Dynamical Symmetries, *J. Chem. Phys.* **99**, 950-962 (1993).
257. G. Stock and W. H. Miller, Classical Formulation of the Spectroscopy of Non-Adiabatic Excited State Dynamics, *J. Chem. Phys.* **99**, 1545-1555 (1993).
258. A. K. Belyaev, D. T. Colbert, G. C. Groenenboom, and W. H. Miller, State-to-State Reaction Probabilities for Processes in $\text{H} + \text{H}_2$, D_2 Collisions, *Chem. Phys. Lett.* **209**, 309-314 (1993).

259. U. Manthe and W. H. Miller, The Cumulative Reaction Probability as Eigenvalue Problem, *J. Chem. Phys.* **99**, 3411-3419 (1993).
260. R. Hernandez and W. H. Miller, Semiclassical Transition State Theory — A New Perspective, *Chem. Phys. Lett.* **214**, 129-136 (1993).
261. U. Manthe, T. Seideman, and W. H. Miller, Full Dimensional Quantum Mechanical Calculation of the Rate Constant for the $\text{H}_2 + \text{OH} \rightarrow \text{H}_2\text{O} + \text{H}$ Reaction, *J. Chem. Phys.* **99**, 10078-10081 (1993).
262. C. Leforestier and W. H. Miller, Quantum Mechanical Calculations of the Rate Constant for the Reaction $\text{H} + \text{O}_2 \rightarrow \text{OH} + \text{O}$, *J. Chem. Phys.* **100**, 733-735 (1994).
263. P. Saalfrank and W. H. Miller, Quantum Mechanical Rates for Gas-Surface Processes, *Surface Science* **303**, 206-230 (1994).
264. S. M. Auerbach and W. H. Miller, Efficient Polynomial Expansion of the Scattering Green's Function: Application to the $\text{D} + \text{H}_2$ ($v=1$) Rate Constant, *J. Chem. Phys.* **100**, 1103-1112 (1994).
265. S. Keshavamurthy and W. H. Miller, Semiclassical Correction for Quantum Mechanical Scattering, *Chem. Phys. Lett.* **218**, 189-194 (1994).
266. W. H. Miller, Recent Developments in the Quantum Mechanical Theory of Chemical Reaction Rates, in New Trends in Reaction Rate Theory, eds. P. Talkner and P. Hänggi, Kluwer Academic Pub., pp. 225-246 (1995).
267. U. Manthe, T. Seideman, and W. H. Miller, Quantum Mechanical Calculations of the Rate Constant for the $\text{H}_2 + \text{OH} \rightarrow \text{H} + \text{H}_2\text{O}$ Reaction: Full Dimensional Results and Comparison to Reduced Dimensionality Problems, *J. Chem. Phys.* **101**, 4759-4768 (1994).
268. W. H. Thompson and W. H. Miller, Initial State-Selected Reaction Probabilities for $\text{OH} + \text{H}_2 \rightarrow \text{H} + \text{H}_2\text{O}$ and Photodetachment Intensities for HOH_2^- , *J. Chem. Phys.* **101**, 8620-8627 (1994).
269. U. Peskin, H. Reisler, and W. H. Miller, On the Relation between Unimolecular Reaction Rates and Overlapping Resonances, *J. Chem. Phys.* **101**, 9672-9680 (1994).
270. G. J. Laming, N. C. Handy, and W. H. Miller, A Comparison of the Gaussian and Bessel Function Exchange for Molecules, *J. Phys. Chem.* **99**, 1880-1888 (1995).
271. U. Peskin and W. H. Miller, Reactive Scattering Theory for Molecular Transitions in Time Dependent Fields, *J. Chem. Phys.* **102**, 4084-4092 (1995).
272. U. Peskin, W. H. Miller, H. Reisler, Final State-Selected Spectra in Unimolecular Reactions: A Transition-State-Based Random Matrix Model for Overlapping Resonances, *J. Chem. Phys.* **102**, 8874-8886 (1995).
273. W. H. Thompson and W. H. Miller, On the 'Direct' Calculation of Thermal Rate Constants, *J. Chem. Phys.* **102**, 7409-7417 (1995).
274. W. H. Miller, Quantum Theory of Chemical Reaction Rates, in Proceedings of the Robert A. Welch Foundation, 38th Conference on Chemical Research, Chemical Dynamics of Transient Species, (Robert A. Welch Foundation, Houston, TX) pp. 17-27 (1994).

275. J. D. Gezelter and W. H. Miller, Resonant Features in the Energy Dependence of the Rate of Ketene Isomerization, *J. Chem. Phys.* **103**, 7868-7876 (1995).
276. W. H. Miller, Beyond Transition State Theory: Rigorous Quantum Approaches for Determining Chemical Reaction Rates, in Dynamics of Molecules and Chemical Reactions, eds. J. Zhang and R. Wyatt, Marcel Dekker, N.Y., pp. 387-410 (1995).
277. W. H. Miller, Quantum Mechanical Theory of Collisional Recombination Rates, *J. Phys. Chem.* **99**, 12387-12390 (1995).
278. U. Peskin, A. Edlund, and W. H. Miller, Quantum Time Evolution in Time-Dependent Fields and Time-Independent Reactive-Scattering Calculations via an Efficient Fourier Grid Preconditioner, *J. Chem. Phys.* **103**, 10030-10041 (1995).
279. W. H. Miller, Quantum Mechanical Theory of Collisional Recombination Rates. Part II. Beyond the Strong Collision Approximation, *Faraday Disc.* **102**, 53-63 (1995).
280. W. H. Miller, Theoretical Overview of Chemical Dynamics, in Frontiers of Chemical Dynamics, ed. E. Yurtsever, NATO ASI Series, Vol. 470, pp. 1-20 (1995).
281. B. W. Spath and W. H. Miller, Semiclassical Calculation of Cumulative Reaction Probabilities, *J. Chem. Phys.* **104**, 95-99 (1996).
282. L. Lehr and W. H. Miller, A Classical Approach to Dissociative Electron Attachment DA: Application to Temperature Effects in the DA Cross Section of CF_3Cl , *Chem. Phys. Lett.* **250**, 515-522 (1996).
283. J. D. Gezelter and W. H. Miller, Dynamics of the Photodissociation of Triplet Ketene, *J. Chem. Phys.* **104**, 3546-3554 (1996).
284. V. A. Mandelshtam, H. S. Taylor, and W. H. Miller, Collisional Recombination Reaction $\text{H} + \text{O}_2 + \text{M} \rightarrow \text{HO}_2 + \text{M}$. Quantum Mechanical Study Using Filter Diagonalization, *J. Chem. Phys.* **105**, 496-503 (1996).
285. W. H. Thompson, H. O. Karlsson, and W. H. Miller, Theoretical Calculation of Photodetachment Intensities for H_3O^+ , *J. Chem. Phys.* **105**, 5387-5396 (1996).
286. W. H. Miller, Comment on "Comparison of Positive Flux Operators for Transition State Theory Using a Solvable Model", *J. Chem. Phys.* **105**, 6090 (1996).
287. B. W. Spath and W. H. Miller, Semiclassical Calculation of Franck-Condon Intensities for Reactive Systems, *Chem. Phys. Lett.* **262**, 486-494 (1996).
288. W. H. Miller, Quantum and Semiclassical Theories of Chemical Reaction Rates, *Adv. Chem. Phys.* **101**, 853-871 (1997).
289. L. Lehr, J. Manz and W. H. Miller, A Classical Approach to Resonant Low Energy Electron Scattering off Molecules: Application to the a_1 -Shape Resonance of CF_3Cl , *Chem. Phys.* **214**, 301-312 (1997).
290. X. Sun and W. H. Miller, Mixed Semiclassical-Classical Approaches to the Dynamics of Complex Molecular Systems, *J. Chem. Phys.* **106**, 916-927 (1997).

291. W. H. Thompson and W. H. Miller, On the 'Direct' Calculation of Thermal Rate Constants. II. The Flux-Flux Autocorrelation Function with Absorbing Potentials, with Application to the $O + HCl \rightarrow OH + Cl$ Reaction, *J. Chem. Phys.* **106**, 142-150 (1997); Erratum **107**, 2164-2165 (1997).
292. B. Poirier and W. H. Miller, Optimized Preconditioners for Green Function Evaluation in Quantum Reactive Scattering Calculations, *Chem. Phys. Lett.* **265**, 77-83 (1997).
293. W. H. Miller, Quantum and Semiclassical Green's Functions in Chemical Reaction Dynamics, *J. Chem. Soc. Faraday Trans.* **93**, 685-690 (1997).
294. U. Peskin, H. Reisler, and W. H. Miller, Response to "Comment on 'On the Relation between Unimolecular Reaction Rates and Overlapping Resonances'", *J. Chem. Phys.* **106**, 4812-4814 (1997).
295. X. Sun and W. H. Miller, Semiclassical Initial Value Representation for Electronically Non Adiabatic Molecular Dynamics, *J. Chem. Phys.* **106**, 6346-6353 (1997).
296. T. C. Germann and W. H. Miller, Quantum Mechanical Pressure Dependent Reaction and Recombination Rates for $OH + O \rightarrow H + O_2$, HO_2 , *J. Phys. Chem. A* **101**, 6358-6367 (1997).
297. I. Vorobeichik, N. Moiseyev, and W. H. Miller, On the Reflection Probability in Elastic Scattering Processes as obtained via the Absorbing Boundary Conditions — Discrete Variable Representation (ABC-DVR) Green's Function Formalism, *Chem. Phys. Lett.* **275**, 491-493 (1997).
298. H. Wang, W. H. Thompson, and W. H. Miller, Thermal Rate Constant Using Flux-Flux Autocorrelation Functions: Application to $Cl + H_2 \rightarrow HCl + H$ Reaction, *J. Chem. Phys.* **107**, 7194-7201 (1997).
299. V. S. Batista and W. H. Miller, Semiclassical Molecular Dynamics Simulations of Ultrafast Photodissociation Dynamics Associated with the Chappuis Band of Ozone, *J. Chem. Phys.* **108**, 498-510 (1998).
300. W. H. Miller, "Direct" and "Correct" Calculation of Microcanonical and Canonical Rate Constants for Chemical Reactions, *J. Phys. Chem. A* **102**, 793-806 (1998).
301. A. Viel, C. Leforestier, and W. H. Miller, Quantum Mechanical Calculation of the Rate Constant for the Reaction $H + O_2 \rightarrow OH + O$, *J. Chem. Phys.* **108**, 3489-3497 (1998).
302. W. H. Miller, Quantum Theory of Chemical Reaction Rates, in *Encyclopedia of Computational Chemistry*, ed. P. v. R. Schleyer, J. Wiley & Sons, Ltd., U.K., Vol. 4, pp. 2375-2380 (1998).
303. W. H. Miller, The Semiclassical Initial Value Representation for Including Quantum Effects in Molecular Dynamics Simulations, in *Classical and Quantum Dynamics in Condensed Phase Simulations*, ed. B. J. Berne, G. Ciccotti, and D. F. Coker, World Scientific, Singapore, pp. 617-627 (1998).
304. X. Sun and W. H. Miller, Semiclassical Initial Value Representation for Rotational Degrees of Freedom: The Tunneling Dynamics of HCl Dimer, *J. Chem. Phys.* **108**, 8870-8877 (1998).

305. W. H. Miller, Quantum Theory of Reactive Scattering and Chemical Reaction Rates, in Photonic, Electronic, and Atomic Collisions, ed. F. Aumayr and H. Winter, World Scientific, Singapore, pp. 441-451 (1998).
306. D. E. Skinner, T. C. Germann, and W. H. Miller, Quantum Mechanical Rate Constants for $O + OH \leftrightarrow H + O_2$ for Total Angular Momentum $J > 0$, *J. Phys. Chem. A* **102**, 3828-3834 (1998).
307. H. Wang, W. H. Thompson, and W. H. Miller, 'Direct' Calculation of Thermal Rate Constants for the $F + H_2 \rightarrow HF + H$ Reaction, *J. Phys. Chem. A* **102**, 9372-9379 (1998).
308. H. Wang, X. Sun, and W. H. Miller, Semiclassical Approximations for the Calculation of Thermal Rate Constants for Chemical Reactions in Complex Molecular Systems, *J. Chem. Phys.* **108**, 9726-9736 (1998).
309. T. C. Germann and W. H. Miller, Quantum Mechanical Calculation of Resonance Tunneling in Acetylene Isomerization via the Vinylidene Intermediate, *J. Chem. Phys.* **109**, 94-101 (1998).
310. X. Sun, H. Wang, and W. H. Miller, On the Semiclassical Description of Quantum Coherence in Thermal Rate Constants, *J. Chem. Phys.* **109**, 4190-4200 (1998).
311. X. Sun, H. Wang, and W. H. Miller, Semiclassical Theory of Electronically Nonadiabatic Dynamics: Results of a Linearized Approximation to the Initial Value Representation, *J. Chem. Phys.* **109**, 7064-7074 (1998).
312. W. H. Miller, Quantum and Semiclassical Theory of Chemical Reaction Rates, *Faraday Disc. Chem. Soc.* **110**, 1-21 (1998).
313. H. Wang, X. Song, D. Chandler and W. H. Miller, Semiclassical Study of Electronically Nonadiabatic Dynamics in the Condensed-Phase: Spin-Boson Problem with Debye Spectral Density, *J. Chem. Phys.* **110**, 4828-4840 (1999).
314. D. Skinner and W. H. Miller, Application of the Semiclassical Initial Value Representation and Its Linearized Approximation to Inelastic Scattering," *Chem. Phys. Lett.* **300**, 20-26 (1999).
315. V. S. Batista, M. T. Zanni, B. J. Greenblatt, D. M. Neumark and W. H. Miller, Femtosecond Photoelectron Spectroscopy of the I_2^- Anion: A Semiclassical Molecular Dynamics Simulation Method, *J. Chem. Phys.* **110**, 3736-3747 (1999).
316. M. T. Zanni, V. S. Batista, B. J. Greenblatt, W. H. Miller and D. M. Neumark, Femtosecond Photoelectron Spectroscopy of the I_2^- Anion: Characterization of the $\tilde{A}^1\Pi_{g,1/2}$ Excited State, *J. Chem. Phys.* **110**, 3748-3755 (1999).
317. X. Sun and W. H. Miller, Forward-Backward Initial Value Representation for Semiclassical Time Correlation Functions, *J. Chem. Phys.* **110**, 6635-6644 (1999).
318. V. Guallar, V. S. Batista and W. H. Miller, Semiclassical Molecular Dynamics Simulations of Excited State Double-Proton Transfer in 7-Azaindole Dimers, *J. Chem. Phys.* **110**, 9922-9936 (1999).

319. H. Wang and W. H. Miller, Analytic Continuation of Real-Time Correlation Functions to Obtain Thermal Rate Constants for Chemical Reaction, *Chem. Phys. Lett.* **307**, 463-468 (1999).
320. W. H. Miller, Generalization of the Linearized Approximation to the Semiclassical Initial Value Representation for Reactive Flux Correlation Functions, *J. Phys. Chem. A* **103**, 9384-9387 (1999).
321. Y. Guo, D. L. Thompson and W. H. Miller, Thermal and Microcanonical Rates of Unimolecular Reactions from an Energy Diffusion Theory Approach, *J. Phys. Chem. A* **103**, 10308-10311 (1999).
322. D. E. Skinner and W. H. Miller, Application of the Forward-Backward Initial Value Representation to Molecular Energy Transfer, *J. Chem. Phys.* **111**, 10787-10793 (1999).
323. W. H. Miller, Using Classical Mechanics in a Quantum Framework: Perspective on "Semiclassical Description of Scattering," *Theo. Chem. Accts.* **103**, 236-237 (2000).
324. H. Wang, M. Thoss and W. H. Miller, Forward-Backward Initial Value Representation for the Calculation of Thermal Rate Constants for Reactions in Complex Molecular Systems, *J. Chem. Phys.* **112**, 47-55 (2000).
325. E. A. Coronado, V. S. Batista and W. H. Miller, Nonadiabatic Photodissociation Dynamics of *ICN* in the \tilde{A} Continuum: A Semiclassical Initial Value Representation Study, *J. Chem. Phys.* **112**, 5566-5575 (2000).
326. M. Thoss, W. H. Miller and G. Stock, Semiclassical Description of Nonadiabatic Quantum Dynamics: Application to the S_1 - S_2 Conical Intersection in Pyrazine, *J. Chem. Phys.* **112**, 10282-10292 (2000).
327. R. Gelabert, X. Gimenez, M. Thoss, H. Wang and W. H. Miller, A Log-Derivative Formulation of the Prefactor for the Semiclassical Herman-Kluk Propagator, *J. Phys. Chem. A* **104**, 10321-10327 (2000).
328. V. Guallar, V. S. Batista and W. H. Miller, Semiclassical Molecular Dynamics Simulations of Intramolecular Proton Transfer in Photo-Excited 2-(2'-hydroxyphenyl)-oxazole, *J. Chem. Phys.* **113**, 9510-9522 (2000).
329. H. Wang, M. Thoss, K. Sorge, R. Gelabert, X. Gimenez and W. H. Miller, Semiclassical Description of Quantum Coherence Effects and Their Quenching: A Forward-Backward Initial Value Representation Study, *J. Chem. Phys.* **114**, 2562-2571 (2001).
330. R. Gelabert, X. Gimenez, M. Thoss, H. Wang and W. H. Miller, Semiclassical Description of Diffraction and Its Quenching by the Forward-Backward Version of the Initial Value Representation, *J. Chem. Phys.* **114**, 2572-2579 (2001).
331. W. H. Miller, Autobiographical Sketch, *J. Phys. Chem. A* **105**, 2487-2489 (2001).
332. W. H. Miller, Biographical Notes, *J. Phys. Chem. A* **105**, 2490 (2001).
333. W. H. Miller, Research Group and Alumni, *J. Phys. Chem. A* **105**, 2491 (2001).
334. W. H. Miller, Publications, *J. Phys. Chem. A* **105**, 2492-2501 (2001).

335. W. H. Miller, The Semiclassical Initial Value Representation: A Potentially Practical Way for Adding Quantum Effects to Classical Molecular Dynamics Simulations, *J. Phys. Chem. A* **105**, 2942-2955 (2001).
336. M. Thoss, H. Wang and W. H. Miller, Generalized Forward-Backward Initial Value Representation for the Calculation of Correlation Functions in Complex Systems, *J. Chem. Phys.* **114**, 9220-9235 (2001).
337. J. Xing, E. A. Coronado and W. H. Miller, Some New Classical and Semiclassical Models for Describing Tunneling Processes with Real-Valued Classical Trajectories, *J. Phys. Chem. B* **105**, 6574-6578 (2001).
338. H. Wang, M. Thoss and W. H. Miller, Systematic Convergence in the Dynamical Hybrid Approach for Complex Systems: A Numerically Exact Methodology, *J. Chem. Phys.* **115**, 2979-2990 (2001).
339. M. Thoss, H. Wang and W. H. Miller, Self-Consistent Hybrid Approach for Complex Systems: Application to the Spin-Boson Model with Debye Spectral Density, *J. Chem. Phys.* **115**, 2991-3005 (2001).
340. H. Wang, D. E. Manolopoulos and W. H. Miller, Generalized Filinov Transformation of the Semiclassical Initial Value Representation, *J. Chem. Phys.* **115**, 6317-6326 (2001).
341. W. H. Miller, Adding Quantum Effects to Classical Molecular Dynamics Simulations via the Semiclassical Initial Value Representation, *SIMU Newsletter*, Issue **3**, 51-62 (2001).
342. E. A. Coronado, J. Xing, and W. H. Miller, Ultrafast Non-Adiabatic Dynamics of Systems with Multiple Surface Crossings: A Test of the Meyer-Miller Hamiltonian with Semiclassical Initial Value Representation Methods, *Chem. Phys. Lett.* **349**, 521-529 (2001).
343. W. H. Miller, Using the Semiclassical Initial Value Representation to Include Quantum Effects in Molecular Dynamics in Wide-Amplitude Rovibrational Bound States in Polyatomic Molecules, ed. I. N. Kozin, M. M. Law, and J. N. L. Connor, CCP6, Daresbury, UK, pp. 57-60 (2001).
344. W. H. Miller, An Alternate Derivation of the Hermann-Kluk (Coherent State) Semiclassical Initial Value Representation of the Time Evolution Operator, *Mol. Phys.* **100**, 397-400 (2002).
345. V. Guallar, D. L. Harris, V. S. Batista, and W. H. Miller, Proton Transfer Dynamics in the Activation of Cytochrome P450eryF, *J. Am. Chem. Soc.* **124**, 1430-1437 (2002).
346. N. Makri and W. H. Miller, Coherent State Semiclassical Initial Value Representation for the Boltzmann Operator in Thermal Correlation Functions, *J. Chem. Phys.* **116**, 9207-9212 (2002).
347. T. Yamamoto, H. Wang, and W. H. Miller, Combining Semiclassical Time Evolution and Quantum Boltzmann Operator to Evaluate Reactive Flux Correlation Function for Thermal Rate Constants of Complex Systems, *J. Chem. Phys.* **116**, 7335-7349 (2002).
348. W. H. Miller, On the Relation between the Semiclassical Initial Value Representation and an Exact Quantum Expansion in Time-Dependent Coherent States, *J. Phys. Chem. B* **106**, 8132-8135 (2002).

349. S. X. Sun and W. H. Miller, Statistical Sampling of Semiclassical Distributions: Calculating Quantum Mechanical Effects Using Metropolis Monte Carlo, *J. Chem. Phys.* **117**, 5522-5528 (2002).
350. Y. Zhao and W. H. Miller, Semiclassical (SC) Initial Value Representation (IVR) for the Boltzmann Operator in Thermal Rate Constants, *J. Chem. Phys.* **117**, 9605-9610 (2002).
351. V. Guallar, B. F. Gherman, W. H. Miller, S. J. Lippard and R. A. Friesner, Dynamics of Alkane Hydroxylation at the Non-heme Diiron Center in Methane Monooxygenase, *J. Am. Chem. Soc.* **124**, 3377-3384 (2002).
352. T. Yamamoto and W. H. Miller, Semiclassical Calculation of Thermal Rate Constants in Full Cartesian Space: The Benchmark Reaction for $D + H_2 \rightarrow DH + H$, *J. Chem. Phys.* **118**, 2135-2152 (2003).
353. A. L. Kaledin and W. H. Miller, Time Averaging the Semiclassical Initial Value Representation for the Calculation of Vibrational Energy Levels, *J. Chem. Phys.* **118**, 7174-7182 (2003).
354. W. H. Miller, Y. Zhao, M. Ceotto and S. Yang, Quantum Instanton Approximation for Thermal Rate Constants of Chemical Reactions, *J. Chem. Phys.* **119**, 1329-1342 (2003).
355. A. L. Kaledin and W. H. Miller, Time Averaging the Semiclassical Initial Value Representation for the Calculation of Vibrational Energy Levels II: Application to H_2CO , NH_3 , CH_4 , CH_2D_2 , *J. Chem. Phys.* **119**, 3078-3084 (2003).
356. C. Venkataraman and W. H. Miller, The Quantum Instanton (QI) Model for Chemical Reaction Rates: the 'Simplest' QI with One Dividing Surface, *J. Phys. Chem. A* **108**, 3035-3039 (2004).
357. T. Yamamoto and W. H. Miller, On the Efficient Path Integral Evaluation of Thermal Rate Constants within the Quantum Instanton Approximation, *J. Chem. Phys.* **120**, 3086-3099 (2004).
358. Y. Zhao, T. Yamamoto and W. H. Miller, Path Integral Calculation of Thermal Rate Constants within the Quantum Instanton Approximation: Application to the $H+CH_4 \rightarrow H_2+CH_3$ Hydrogen Abstraction Reaction in Full Cartesian Space, *J. Chem. Phys.* **120**, 3100-3107 (2004).
359. M. Ceotto and W. H. Miller, Test of the Quantum Instanton Approximation for Thermal Rate Constants for Some Collinear Reactions, *J. Chem. Phys.* **120**, 6356-6362 (2004).
360. C. Predescu and W. H. Miller, Optimal Choice of Dividing Surface for the Computation of Quantum Reaction Rates, *J. Phys. Chem. B* **109**, 6491-6499 (2005).
361. Y. Li and W. H. Miller, Different Time Slices for Different Degrees of Freedom in Feynman Path Integration, *Molec. Phys.* **103**, 203-208 (2005).
362. T. Yamamoto and W. H. Miller, Path Integral Evaluation of the Quantum Instanton Rate Constant for Proton Transfer in a Polar Solvent, *J. Chem. Phys.* **122**, 044106.1-13 (2005).

363. M. Ceotto, S. Yang and W. H. Miller, Quantum Reaction Rate from Higher Derivatives of the Thermal Flux-Flux Autocorrelation Function at Time Zero, *J. Chem. Phys.* **122**, 044109.1-7 (2005).
364. W. H. Miller, Quantum Dynamics of Complex Molecular Systems, *Proceedings of the National Academy of Sciences* **102**, 6660-6664 (2005).
365. M. S. Small, C. Predescu and W. H. Miller, Quantifying the Extent of Recrossing Flux for Quantum Systems, *Chem. Phys.* **322**, 151-159 (2006).
366. J. Vanicek, W. H. Miller, J. F. Castillo and F. J. Aoiz, Quantum Instanton Evaluation of the Kinetic Isotope Effects, *J. Chem. Phys.* **123**, 054108.1-14 (2005).
367. J. Vanicek and W. H. Miller, Path Integral Evaluation of the Kinetic Isotope Effects Based on the Quantum Instanton Approximation, in Proceedings of the 8th International Conference on "Path Integrals, from Quantum Information to Cosmology," (JINR Publishing, Dubna, Moscow, Russia) pp. 1-10 (2005).
368. S. Yang, T. Yamamoto, and W. H. Miller, Path-Integral Virial Estimator for Reaction Rate Calculation Based on the Quantum Instanton Approximation, *J. Chem. Phys.* **124**, 084102.1-9 (2006).
369. Y. Li and W. H. Miller, Using a Family of Dividing Surfaces Normal to the Minimum Energy Path for Quantum Instanton Rate Constants, *J. Chem. Phys.* **125**, 064104.1-8 (2006).
370. W. H. Miller, Including Quantum Effects in the Dynamics of Complex (i.e., Large) Molecular Systems, *J. Chem. Phys.* **125**, 132305.1-8 (2006).
371. J. Liu and W. H. Miller, Using the Thermal Gaussian Approximation for the Boltzmann Operator in Semiclassical Initial Value Time Correlation Functions, *J. Chem. Phys.* **125**, 224104.1-13 (2006).
372. C. Venkataraman and W. H. Miller, Chemical Reaction Rates Using the Semiclassical Van-Vleck Initial Value Representation, *J. Chem. Phys.* **126**, 094104.1-8 (2007).
373. J. Liu and W. H. Miller, Real Time Correlation Function in a Single Phase Space Integral—Beyond the Linearized Semiclassical Initial Value Representation, *J. Chem. Phys.* **126**, 234110.1-11 (2007).
374. N. Ananth, C. Venkataraman and W. H. Miller, Semiclassical (SC) Description of Electronically Non-Adiabatic Dynamics via the Initial Value Representation (IVR), *J. Chem. Phys.* **127**, 084114.1-9 (2007).
375. J. Vanicek and W. H. Miller, Efficient Estimators for Quantum Instanton Evaluation of the Kinetic Isotope Effects: Application to the Intramolecular Hydrogen Transfer in Pentadiene, *J. Chem. Phys.* **127**, 114309.1-9 (2007).
376. J. Liu and W. H. Miller, Linearized Semiclassical Initial Value Time Correlation Functions Using the Thermal Gaussian Approximation: Applications to Condensed Phase Systems, *J. Chem. Phys.* **127**, 114506.1-10 (2007).

377. W. H. Miller, The Initial Value Representation of Semiclassical Theory: A Practical Way for Adding Quantum Effects to Classical Molecular Dynamics Simulations of Complex Molecular Systems, in *Physical Biology – From Atoms to Medicine*, ed. A. Zewail, Imperial College Press, London, UK, pp. 505-525 (2008).
378. J. Liu and W. H. Miller, Test of the Consistency of Various Linearized Semiclassical Initial Value Time Correlation Functions in Application to Inelastic Neutron Scattering from Liquid *para*-hydrogen, *J. Chem. Phys.* **128**, 144511.1-15 (2008).
379. J. Liu and W. H. Miller, Linearized Semiclassical Initial Value Time Correlation Functions with Maximum Entropy Analytic Continuation, *J. Chem. Phys.* **129**, 124111.1-17 (2008).
380. W. H. Miller, Electronically Non-Adiabatic Dynamics via Semiclassical Initial Value Methods, *J. Phys. Chem. A* **113**, 1405-1415 (2009).
381. G. Tao and W. H. Miller, Semiclassical description of Vibrational Quantum Coherence in a Three Dimensional I_2Ar_n ($n \leq 6$) Cluster: A Forward-Backward Initial Value Representation Implementation, *J. Chem. Phys.* **130**, 184108.1-7 (2009).
382. J. Liu and W. H. Miller, A Simple Model for the Treatment of Imaginary Frequencies in Chemical Reaction Rates and Molecular Liquids, *J. Chem. Phys.* **131**, 074113.1-19 (2009).
383. J. Liu, W. H. Miller, F. Paesani, W. Zhang and D. A. Case, Quantum Dynamical Effects in Liquid Water: A Semiclassical Study on the Diffusion and the Infrared Absorption Spectrum, *J. Chem. Phys.* **131**, 164509.1-12 (2009).
384. G. Tao and W. H. Miller, Gaussian Approximation for the Structure Function in Semiclassical Forward-Backward Initial Value Representations of Time Correlation Functions, *J. Chem. Phys.* **131**, 224107.1-8 (2009).
385. G. Tao and W. H. Miller, Semiclassical Description of Electronic Excitation Population Transfer in a Model Photosynthetic System, *J. Phys. Chem. Lett.* **1**, 891-894 (2010).
386. A. L. Kaledin, C. W. McCurdy, W. H. Miller, A Semiclassical Correction for Quantum Mechanical Energy Levels, *J. Chem. Phys.* **133**, 054101.1-6 (2010).
387. K. F. Wong, J. L. Sonnenberg, F. Paesani, T. Yamamoto, J. Vanicek, W. Zhang, H. B. Schlegel, D. A. Case, T. E. Cheatham, W. H. Miller and G. A. Voth, Proton Transfer Studied Using a Combined *Ab Initio* Reactive Potential Energy Surface with Quantum Path Integral Methodology, *J. Chem. Theory Comput.* **6**, 2566-2580 (2010).
388. D. Lambrecht, K. Brandhorst, W. H. Miller, C. W. McCurdy, and M. Head-Gordon, A Kinetic Energy Fitting Metric for Resolution of the Identity Second-Order Möller-Plesset Perturbation Theory, *J. Phys. Chem. A* **115**, 2794-2801 (2011).
389. J. Liu and W. H. Miller, An Approach for Generating Trajectory-Based Dynamics which Conserves the Canonical Distribution in the Phase Space Formulation of Quantum Mechanics. I. Theories, *J. Chem. Phys.* **134**, 104101.1-14 (2011).
390. J. Liu and W. H. Miller, An Approach for Generating Trajectory-Based Dynamics which Conserves the Canonical Distribution in the Phase Space Formulation of Quantum Mechanics. II. Thermal Correlation Functions, *J. Chem. Phys.* **134**, 104102.1-19 (2011).

391. J. Tatchen, E. Pollak, G. Tao and W. H. Miller, Renormalization of the Frozen Gaussian Approximation to the Quantum Propagator, *J. Chem. Phys.* **134**, 134104.1-9 (2011).
392. D. W. H. Swenson, T. Levy, G. Cohen, E. Rabani and W. H. Miller, Application of a Semiclassical Model for the Second-Quantized Many-Electron Hamiltonian to Nonequilibrium Quantum Transport: The Resonant Level Model, *J. Chem. Phys.* **134**, 164103.1-8 (2011).
393. G. Tao and W. H. Miller, Time-Dependent Importance Sampling in Semiclassical Initial Value Representation Calculations for Time Correlation Functions, *J. Chem. Phys.* **135**, 024104.1-9 (2011).
394. J. Liu, B. J. Alder and W. H. Miller, A Semiclassical Study of the Thermal Conductivity of Low Temperature Liquids, *J. Chem. Phys.* **135**, 114105.1-10 (2011).
395. J. Liu, W. H. Miller, G. S. Fanourgakia, S. S. Xanthas, I. Sho, and S. Saito, Insights in Quantum Dynamical Effects in the Infrared Spectroscopy of Liquid Water from a Semiclassical Study with an Ab Initio-Based Force Field, *J. Chem. Phys.* **135**, 244503.1-14 (2011).
396. W. H. Miller, Perspective: Quantum or Classical Coherence?, *J. Chem. Phys.* **136**, 210901.1-6 (2012).
397. W. H. Miller, Note: Another Resolution of the Identity for Two-Electron Integrals, *J. Chem. Phys.* **136**, 216101.1-2 (2012).
398. G. Tao and W. H. Miller, Time Dependent Importance Sampling in Semiclassical Initial Value Representation Calculations for Time Correlation Functions. II A Simplified Implementation, *J. Chem. Phys.* **137**, 124105.1-7 (2012).
399. B. Li and W. H. Miller, A Cartesian Classical Second-Quantized Many-Electron Hamiltonian, for Use with the Semiclassical Initial Value Representation, *J. Chem. Phys.* **137**, 154107.1-7 (2012).
400. B. Li, T. J. Levy, W. H. Swenson, E. Rabani and W. H. Miller, A Cartesian Quasi-Classical Model to Nonequilibrium Quantum Transport: The Anderson Impurity Model, *J. Chem. Phys.* **138**, 104110.1-6 (2013).
401. G. Tao and W. H. Miller, Time-Dependent Important Sampling in Semiclassical Initial Value Representation Calculations or Time Correlation Functions. III. A State-Resolved Implementation to Electronically Non-Adiabatic Dynamics, *Mol. Phys.* **111**, 1987-1993 (2013).
402. S. J. Cotton and W. H. Miller, Symmetrical Windowing for Quantum States in Quasi-Classical Trajectory Simulations, *J. Phys. Chem. A* **117**, 7190-7194 (2013).