



**ELEVATION NOTES**

1. THIS DRAWING IS FOR DIAGRAMMATIC PURPOSES ONLY. FOR ACTUAL HANDING AND SWING, REFERENCE FLOOR PLANS.
2. DIMENSIONS SHOWN FOR COORDINATION ONLY. EXACT LOCATIONS AND MOUNTING HEIGHTS TO BE FIELD COORDINATED WITH OWNER AND ARCHITECT.
3. IF PLENUM INSTALLATION, CONDUIT IS NOT REQUIRED FOR THIS CABLE RUN.
4. IF PLENUM INSTALLATION, STUB CONDUIT, w/PULL STRING, 6" ABOVE FINISHED CEILING.
5. ALL CONDUIT IS 3/4" UNLESS OTHERWISE NOTED.
6. FOR GROUTED DOOR FRAMES, PROVIDE CONDUIT INTO SPECIAL STEEL BOX OR STYROFOAM BLOCK TO FACILITATE BOTH INSTALLATION AND SERVICE.
8. FIELD VERIFY ALL EXISTING INSTALLATION.
9. ALL NEWLY INSTALLED ITEMS SHALL BE INSPECTED BY UNIVERSITY INSPECTOR.

**HA-5** | DOUBLE DOOR, ALARMED  
 LOCAL NOISE (SIREN)  
 EMERGENCY EXIT ONLY  
 ELEVATION

SCALE: N.T.S.

LBNL ELECTRICAL STANDARDS  
 SECURITY CARD ACCESS HA-5  
 DOUBLE DOORS, ALARMED LOCAL NOISE (SIREN)

DRAWN BY	DATE
CHECKED BY	
APPROVED BY	
CAD FILE PATH	
SCALE	NTS
DRAWING NO.	SHEET
SEC107A	HA-5
PROJECT NO.	

UNIVERSITY OF CALIFORNIA LAWRENCE BERKELEY NATIONAL LABORATORY  
 FACILITIES DIVISION